

**TOWN OF LADY LAKE
APPLICATION FOR CONCURRENCY DETERMINATION**

1. Purpose for Concurrency Determination: (check one)

- | | |
|--|--|
| <input type="checkbox"/> Comprehensive Plan Land Use Amendment | <input type="checkbox"/> Rezoning |
| <input type="checkbox"/> Preliminary/Final Subdivision Approval | <input type="checkbox"/> Site Plan Approval |
| | <input type="checkbox"/> Other |

2. Applicant: _____
Address: _____
Telephone: _____ **E-Mail:** _____

3. Owner: _____
Address: _____
Telephone: _____ **E-Mail:** _____

4. Property Address: _____

5. Alt. Key #: _____ **6. Total Acreage:** _____

7. Existing Zoning: _____ **8. Proposed Zoning:** _____

9. Existing Land Use: _____ **10. Proposed Land Use:** _____

11. Residential Lots/Units: _____ **12. Non-Resident, Gross Sq. Ft.:** _____

13. Method of Wastewater Treatment:
a. Septic Tank: _____ **b. Central Sewer:** _____ **c. Other:** _____
County Permit: _____ **County #:** _____

14. Wastewater Flow Rates:*
ERU Determination Per Chapter 14, Appendix A-A: _____ **ERUS x 250 =** _____ **GPD**

15. Water Usage:*
ERU Determination Per Chapter 14, Appendix A-A: _____ **ERUS x 250 =** _____ **GPD**

16. Solid Waste: (3.39 pounds per capita, per day): _____ **Pounds**

17. Traffic Analysis: Name and Functional Classification of roadways adjacent to the property, the Average Daily Trip Generation and Average Daily Peak Hour Generation expected from this development (please refer to the Lake-Sumter MPO Traffic Analysis Guideline):

18. Population (residential only) 1.86 persons per household: _____ **Persons**

19. Recreation (residential only) 4 acres per 1,000 residents: _____ **Acres**

Signature of Engineer: _____ **Date:** _____

*** If circumstances apply where additional Water or Wastewater Capacity beyond minimum ERU based GPD is requested, please provide a justification letter with supporting calculations and documentation. At no time will the Town reduce Water or Wastewater Capacity request below the minimum ERU based GPD.**